

<主な原著論文>

- 1) Nakagawa H, Nagai, K (1971) Cold adaptation I. Effect of cold exposure on gluconeogenesis. *J. Biochem. (Tokyo)* 69: 923-934
- 2) Nagai K, Nakagawa H (1973) Cold adaptation III. Effects of catecholamines and thyroid hormone on induction of liver phosphoenolpyruvate carboxykinase on cold exposure. *J. Biochem. (Tokyo)* 74: 873-879
- 3) Frohman LA, Nagai K (1976) Central nervous system-mediated stimulation of glucagon secretion in dog following 2-deoxy-D-glucose. *Metabolism* 25: 1449-1452
- 4) Nagai K, Frohman LA (1978) Neuropeptides and hyperglycemia: Evidence for histamine mediation and the assessment of a possible physiologic role. *Diabetes* 27: 577-582
- 5) Nagai K, Nishio T, Nakagawa H, Nakamura S, Fukuda Y (1978) Effect of bilateral lesions of the suprachiasmatic nuclei on the circadian rhythm of food-intake. *Brain Res.* 142: 384-389
- 6) Kida K, Nishio T, Yokozawa T, Nagai K, Matsuda H, Nakagawa H (1980) The circadian change of gluconeogenesis in the liver in vivo in fed rats. *J. Biochem. (Tokyo)* 88: 1009-1013
- 7) Nagai K, Yamamoto H, Nakagawa H (1982) Time-dependent hyperglycemic actions of centrally administered 2-deoxy-D-glucose, D-mannitol and D-glucose. *Biomed. Res.* 3: 288-293
- 8) Yamamoto H, Nagai K, Nakagawa H (1984) Bilateral lesions of the suprachiasmatic nucleus enhance glucose tolerance in rats. *Biomed. Res.* 5: 47-54
- 9) Yamamoto H, Nagai K, Nakagawa H (1984) Role of the suprachiasmatic nucleus in glucose homeostasis. *Biomedical Res.* 5: 55-60
- 10) Yamamoto H, Nagai K, Nakagawa H (1984) Bilateral lesions of the SCN abolish lipolytic and hyperphagic responses to 2DG. *Physiol. Behav.* 32: 1017-1020
- 11) Yamamoto H, Nagai K, Nakagawa H (1984) Additional evidence that the suprachiasmatic nucleus is the center for regulation of insulin secretion and glucose homeostasis. *Brain Res.* 304: 237-241
- 12) Yamamoto H, Nagai K, Nakagawa H (1985) Lesions involving the suprachiasmatic nucleus eliminate glucagon response to intracranial injection of 2-deoxy-D-glucose. *Endocrinology* 117: 468-473
- 13) Yamamoto H, Nagai K, Nakagawa H (1987) Role of SCN in daily rhythms of plasma glucose, FFA, insulin and glucagon. *Chronobiol. Int.* 4: 483-491
- 14) Abumi R, Nagai K, Itoh Y, Oda I, Takada M, Tamura M, Nakagawa H (1991) Imaging of rat head under ischemic conditions by near-infrared computed tomography. *J. Clin. Biochem. Nutr.* 11: 211-222

- 15) Niijima A, Nagai K, Nagai N, Nakagawa H (1992) Light enhances sympathetic and suppresses vagal outflows and lesions including SCN eliminate these changes in rats. *J. Auton. Nerv. System* 40: 155-160
- 16) Niijima A, Nagai K, Nagai K, Nakagawa H (1993) Effects of light stimulation on the activity of the autonomic nerves in the anesthetized rats. *Physiol. Behav.* 54: 555-561
- 17) Nagai N, Nagai K, Chun S, Shimizu K, Takezawa K, Tsuji M, Sugahara K, Nakagawa H. (1996) Roles of the suprachiasmatic nucleus and vasoactive intestinal peptide in the response of plasma arginine vasopressin to osmotic challenge. *Endocrinology* 137: 504-507
- 18) Nagai K, Niijima A, Nagai N, Takagi S, Hibino H, Chun S, Shimizu K, Nakagawa, H (1996) Bilateral lesions of the hypothalamic suprachiasmatic nucleus eliminated sympathetic response to intracranial injection of 2-deoxy-D-glucose and VIP rescued this response. *Brain Res. Bull.* 39: 293-297.
- 19) Shimizu K, Okada M, Takano A, Nagai K (1999) SCOP, a novel gene product, expressed in a circadian manner in rat suprachiasmatic nucleus. *FEBS Lett.* 458: 363-369
- 20) Nakahata Y, Okumura N, Sima T, Okada M, Nagai K (2000) Light-induced tyrosine phosphorylation of BIT in the rat suprachiasmatic nucleus. *J. Neurochem.* 74: 2436-2444
- 21) Kawabuchi M, Satomi Y, Takao T, Shimonishi Y, Nada S, Nagai K, Tarakhovsky T, Okada M (2000) The transmembrane phosphoprotein Cbp regulates activity of Src-family protein tyrosine kinases. *Nature* 404: 999-1003
- 22) Takano A, Shimizu K, Kani S, Buijs RM, Okada M, Nagai K (2000) Cloning and characterization of rat casein kinase 1 $\epsilon$ . *EFBS Lett.* 477: 106-112
- 23) Buijs RM, Chun S, Niijima A, Romijn HJ, Nagai K (2001) Parasympathetic and sympathetic control of the pancreas: A role for the suprachiasmatic nucleus and other hypothalamic centers that are involved in the regulation of food intake. *J. Comp. Neurol.* 431: 405-423
- 24) Matsuki T, Kiyama A, Kawabuchi M, Okada M, Nagai K (2001) A novel protein interacts with a clock related protein, rPer1. *Brain Res.* 916: 1-10.
- 25) Niijima A, Okui T, Matsumura Y, Yamano T, Tsuruoka N, Kiso Y, Nagai K (2002) Effects of L-carnosine on renal sympathetic nerve activity and DOCA-salt hypertension in rats. *Autonom Neurosci: Basic & Clinical* 97: 99-102.
- 26) Shimizu K, Okada M, Nagai K, Fukada Y (2003) Suprachiasmatic nucleus circadian oscillatory protein, a novel binding partner of K-Ras in the membrane rafts, negatively regulates MAPK pathway, *J. Biol. Chem.* 278: 14920-
- 27) Nagai K, Niijima A, Yamano T, Otani H, Okumura N, Tsuruoka N, Nakai, M, Kiso Y. (2003)

- Possible role of L-carnosine in the regulation of blood glucose through controlling autonomic nerves. *Exp Biol Med (Maywood)* 228(10):1138-1145.
- 28) Niijim A, Nagai K (2003) Effect of olfactory stimulation with flavor of grapefruit oil and lemon oil on the activity of sympathetic branch in the white adipose tissue of the epididymis. *Exp. Biol. Med.(Maywood)* 228: 1190-1192.
- 29) Tamaru T, Isojima Y, van der Horst GTJ, Takei K, Nagai K, Takamatsu K (2003) Nucleocytoplasmic shuttling and phosphorylation of BMAL1 are regulated by circadian clock in cultured fibroblasts. *Genes Cells* 8: 973-984
- 30) Buijs RM, LaFleur SE, Wortel J, van Heyningen C, Zuiddam L, Mettenleiter TC, Kalsbeek A, Nagai K, Niijima A (2003) The suprachiasmatic nucleus balances sympathetic and parasympathetic output to peripheral organs through separate preautonomic neurons. *J Comp Neurol* 464: 36-48
- 31) Taniguchi H, Okumura N, Hamada J, Inagaki M, Nakahata Y, Sano S, Nagai, K (2004) Cold exposure induces tyrosine phosphorylation of BIT through NMDA receptors in the rat hypothalamus. *Biochim. Biophys. Res. Commun.* 310: 178-184.
- 32) Takano A, Isojima Y, Nagai K (2004) Identification of mPer1 phosphorylation sites responsible for the nuclear entry. *J.Biol. Chem.* 279:32578-32585
- 33) Tanida M, Niijima A, Fukuda Y, Sawai H, Tsuruoka N, Shen J, Yamada S, Kiso Y, Nagai K (2005) Dose-dependent effects of L-carnosine on the renal sympathetic nerve and blood pressure in urethane-anesthetized rats. *Am. J. Physiol* 288: R447-R455.
- 34) Otani H, Okumura N, Hashida-Okumura A, Nagai K (2005) Identification and characterization of a mouse dipeptidase that hydrolyzes L-carnosine. *J. Biochem (Tokyo)*. 137: 167-175.
- 35) Shen,J, Niijima A, Tanida M, Horii Y, Maeda K, Nagai K. (2005) Olfactory stimulation with scent of grapefruit oil affects autonomic nerves, lipolysis and appetite in rats. *Neurosci. Lett.*380: 289-294
- 36) Tanida M, Yamano T, Maeda K, Okumura N, Fukushima Y, Nagai K. (2005) Effects of intraduodenal injection of *Lactobacillus Johnsonii* La1 on renal sympathetic nerve activity and blood pressure in urethane-anesthetized rats. *Neurosci. Lett.* 389:109-114
- 37) Tanida M, Niijima A, Shen J, Nakamura T, Nagai K (2005) Olfactory stimulation with scent of essential oil of grapefruit affects autonomic neurotransmission and blood pressure. *Brain Res.* 1058: 44-55.
- 38) Kita K, Okumura N, Watanabe M, Matsubara T, Nishimura O, Nagai,K (2006) Evidence for phosphorylation of rat liver glucose-regulated protein 58, GRP58/ERp57/ER60, induced by fasting and leptin. *FEBS Lett.* 580: 199-205
- 39) Taniguchi H, Tanida M, Okumura N, Hamada J, Sano S, Nagai K (2006) Regulation of

Sympathetic and Parasympathetic Nerve Activities by BIT/SHPS-1. *Neurosci. Lett.* 398: 102-106

- 40) Yamano T, Tanida M, Maeda K, Okumura N, Fukushima Y, Nagai K (2006) Effects of the probiotic strain *Lactobacillus johnsonii* strain La1 on autonomic nerves and blood glucose in rats, *Life Sci.* 79: 1963-1967
- 41) Tanida M, Shen J, Horii Y, Matsuda M, Kihara S, Fuhahashi T, Shimomura I, Sawai H, Fukuda Y, Matsuzawa Y, Nagai K (2007) Effects of adiponectin on the renal sympathetic nerve activity and blood pressure in rats. *Exp. Biol. Med. (Maywood)* 232: 390,-397
- 42) Tanida M, Yamatodani A, Niijima A, Shen J, Todo T, Nagai K (2007) Autonomic and cardiovascular responses to scent stimulation are altered in *cry* KO mice. *Neurosci. Lett.* 413: 177-182, 2007
- 43) Nakamura T, Tanida M, Niijima A, Shen J, Nagai K (2007) Auditory stimulation affects renal sympathetic nerve activity and blood pressure in rats. *Neurosci. Lett* 416: 107-112
- 44) Tanida M, Gotoh H, Taniguchi H, Otani H, Shen J, Nakamura T, Tsuruoka N, Kiso Y, Okumura N, Nagai K (2007) Effects of central injection of L-carnosine on sympathetic nerve activity innervating brown adipose tissue and body temperature in rats *Regulatory Peptides* 144: 62-71
- 45) Tanida M, Shen J, Maeda K, Horii Y, Yamano T, Fukushima Y, Nagai K (2008) High-fat diet-induced obesity is attenuated by probiotic strain *Lactobacillus paracasei* ST11 (NCC2461) in rats. *Obesity Research & Clinical Practice* 2: 159-169
- 46) Tanida M, Shen J, Nakamura T, Niijima A, Nagai K (2008) Day-night difference in thermoregulatory responses to olfactory stimulation, *Neurosci. Lett.* 439: 192-197
- 47) Otani H, Okumura A, Nagai K, Okumura N (2008) Colocalization of carnosine-degrading enzyme CN2 with histidine decarboxylase in the tuberomammillary nucleus of the hypothalamus. *Neurosci. Lett.* 445: 166-169.
- 48) Unno H, Yamashita T, Ujita S, Okumura N, Otani H, Okumura A, Nagai K, Kusunoki M. (2008) Structural basis for substrate recognition and hydrolysis by mouse carnosinase CN2. *J Biol Chem.* 283: 27289-27299.
- 49) Hatanaka M, Tanida M, Shintani N, Isojima Y, Kakuda M, Kawaguchi C, Hashimoto H, Matsuha T, Nagai K, Baba A. (2008) Lack of light-induced elevation of renal sympathetic nerve activity and plasma corticosterone levels in PACAP-deficient mice. *Neurosci. Lett.* 444: 153-156
- 50) Tamaru T, Hirayama J, Isojima Y, Nagai K, Norioka S, Takamatsu K, Sassone-Corsi P (2009) CK2alpha phosphorylates BMAL1 to regulate the mammalian clock. *Nature Struct Mol Biol* 16(4): 446-448

- 51) Hashimoto H, Hashimoto R, Shintani N, Tanaka K, Yamamoto A, Hatanaka M, Guo X, Morita Y, Tanida M, Nagai K, Takeda M, Baba A (2009) Depression-like behavior in the forced swimming test in PACAP-deficient mice: amelioration by the atypical antipsychotic risperidone. *J. Neurochem.* 110: 595-602
- 52) Tanida M, Shintani N, Morita Y, Tsukiyama N, Hatanaka M, Hashimoto H, Sawai H, Baba A, Nagai K (2010) Regulation of autonomic nerve activities by central pituitary adenylate cyclase-activation polypeptide. *Regulatory Peptides* 161: 73-83.
- 53) Horii Y, Tanida M, Shen J, Fujisaki Y, Fuyuki R, Hashimoto K, Nakashima T, Nagai K. (2011) Effects of urea-containing cream on cutaneous arterial sympathetic nerve activity, blood flow and water evaporation. *Skin Res Technol* 17(1):75-81.
- 54) Horii Y, Shen J, Fujisaki Y, Yoshida K, Nagai K (2012) Effects of L-carnosine on splenic sympathetic nerve activity and tumor proliferation. *Neurosci. Lett.* 510: 1-5.
- 55) Izumo T, Maekawa T, Horii Y, Fujisaki Y, Ida M, Furukawa Y, Ono Y, Kiso Y, Kitagawa Y, Shibata H, Nagai K (2013) The effect of the sympathetic nervous system on splenic natural killer cell activity in mice administered the *Lactobacillus pentosus* strain S-PT84. *Neuroreport.* 24(17):988-991.
- 56) Horii Y, Kaneda H, Fujisaki, Y, Fuyuki, R, Nakakita Y, Shigyo T, Nagai, K (2014) Effect of heat-killed *Lactobacillus brevis* SBC8803 on cutaneous arterial sympathetic nerve activity, cutaneous blood flow and transepidermal water loss in rats. *J. Appl. Microbiol.* 116: 1274-1281.
- 57) Horii Y, Mizoguchi T, Fujisaki Y, Fuyuki R, Nagai K (2014) Effects of Chlorella Pyrenoidosa on Cutaneous Arterial Sympathetic Nerve Activity, Cutaneous Blood Flow and Transepidermal Water Loss in Rats, *Current Topics Nutraceutical Research* 12: 107-114, 2014.
- 58) Horii Y, Fujisaki Y, Fuyuki R, Nagai K. (2015) L-Carnosine's dose-dependent effects on muscle sympathetic nerves and blood flow. *Neurosci Lett.* 591: 144-148.
- 59) Horii Y, Maeda K, Shen J, Fujisaki Y, Nagai K (2015) Effect of grapefruit and lavender essential oil scents on pancreatic sympathetic nerve activity and plasma glucose in rats. *Flavour Fragr. J.* 30:282-287, 2015.
- 60) Horii Y, Nakakita Y, Misonou Y, Nakamura T, Nagai K (2015) The serotonin receptor mediates changes in autonomic neurotransmission and gastrointestinal transit induced by heat-killed *Lactobacillus brevis* SBC8803. *Beneficial Microbes.* 6:799-806, 2015
- 61) Ohara K, Fukuda T, Ishida Y, Takahashi C, Ohya R, Katayama M, Uchida K, Tominaga M, Nagai K (2017)  $\beta$ -Eudesmol, and oxygenized sesquiterpene, stimulates appetite via TRPA1 and the autonomyc nervous system. *Sci. Rep.* 2017 Nov 17;7(1):15785. doi: 10.1038/s41598-017-16150-6.

- 62) Nagai K, Horii Y, Fujisaki Y, Fuyuki R, Misonou Y (2018) Effects of olfactory stimulation with scents of grapefruit and lavender essential oils on the skeletal muscle sympathetic nerve and muscle blood flow in rats. *Flavour Fragr J* 33: 135-143
- 63) Nagai K, Misonou Y, Fujisaki Y, Fuyuki R, Horii Y (2018) Topical application of L-carnosine to skeletal muscle excites the sympathetic nerve innervating the contralateral skeletal muscle in rats. *Amino Acids* 51: 39-48, (accepted 2018.5.29 in press), doi: 10.1007/s00726-018-2597-4

<主要著作>

○英文著書と英文総説

- 1) Nakagawa H, Nagai K, Kida K, Nishio T. Control mechanism of circadian rhythms of feeding behavior and metabolism influenced by food intake. In: *Biological Rhythms and Their Central Mechanism* (Suda M, Hayaishi O, Nakagawa H, eds) pp 283-294, Elsevier/North-Holland Biomedical Press, Amsterdam, 1979
- 2) Nagai K, Yamamoto H, Nakagawa H. Circadian rhythms of feeding and metabolism: Suprachiasmatic nucleus as a biological clock and a site of metabolic regulation. In: *Endogenous Sleep Substance and Sleep Regulation* (Inoue S, Borbely AA, eds) pp 113-125, Japan Scientific Society Press, Tokyo, and VNU Science Press BV, Utrecht, 1985
- 3) Nagai K, Nakagawa H. Central regulations of feeding rhythm and energy metabolism. In: *Emotions: Neural and chemical control*. Pp 207-216, Japan Scientific Societies Press, Tokyo and Karger, Basel, 1986
- 4) Itoh Y, Oda I, Takada M, Kubodera T, Nagai K, Nakagawa H, Tamura T. An experiment of light beam computed tomography. In: *Proceedings of the 2nd International NIRS Conference*, Tsukuba, Japan, pp. 305-312, 1989
- 5) Nagai K, Hashida A, Nakagawa H, Dimethylarginine has digitalis-like activity. In: *Guanidines*, vol. 2 (Mori, A., Cohen, B. D. and Koide, H., eds) p.115-p.122, Plenum Publishing.1989
- 6) Nagai K, Nishikawa K, Nagai N, Fujii T, Inoue S, Ootani K, Nakagawa H. Involvement of suprachiasmatic nucleus in mechanism of circadian rhythms and metabolic regulation. In: *Progress in Obesity Research 1990*, (Oomura Y, Tarui S, Inoue S, Shimazu T, eds) pp 83-88 John Libbey, London, 1991
- 7) Nagai K, Nakagawa H, (1992) *Central Regulation of Energy Metabolism with Special Reference to Circadian Rhythm*, CRC Press, Boca Raton. 194 pages, 1992
- 8) Nagai K, Nagai N, Kajikawa H, Nakagawa H, Glucose homeostasis and

suprachiasmatic nucleus. In: New Functional Aspects of The Suprachiasmatic Nucleus of The Hypothalamus, (Nakagawa H, Oomura Y, Nagai K, eds) pp. 105-116, John Libbey, London 1993

9) Nagai K, Nagai N, Sugahara K, Niijima A, Nakagawa, H. Circadian rhythms and energy metabolism with special reference to the suprachiasmatic nucleus. *Neurosci. Biobehav. Rev.* 18 :579-584 1994

10) Abumi R, Nagai K, Itoh Y, Isojima Y, Oda, Takada M, Nakagawa H, Imaging of oxygenation state in the body by near-infrared light computed tomography. In: Progress in Microcirculation Research, (Niimi H, Oda M, Sawada T, Xiu R-, eds.), pp. 251-254 Pergamon, Oxford, 1994

11) Nagai, K. Role of suprachiasmatic nucleus VIP-neurons in the central regulation of blood glucose. In: Liver Innervation, (Shimazu, T. ed.), pp. 185-191, CRC Press, London, 1996

12) Nagai K, Nagai N, Shimizu K, Chun S, Nakagawa H, Niijima A. SCN output drives the autonomic nervous system: With special reference to the autonomic function related to the regulation of glucose metabolism. In: Hypothalamic Integration of Circadian Rhythms (Buijs RM, Kalsbeek K, Romijn HJ, Pennartz CMA, and Mirmiran M. eds.) *Progress in Brain Res.* 111:253-272, 1996

13) Okumura N, Tanida M, Niijima A, Tsuruoka N, Kiso Y, Horii Y, Nagai K. (2015) Carnosine and the control of blood glucose In "Imidazole Dipeptides: Chemistry, Analysis, Function and Effects" (Victor R. Preedy, ed) The Royal Society of Chemistry, London, pp.257-276 (分担執筆) DOI 10.1039/9781782622611.

14) Tanida M, Nagai K (2011) Electrophysiological analysis of the mechanism of autonomic action by Lactobacilli. *Biosci. Microflora* 30: 99-109.

15) Nagai K, Tanida M, Niijima A, Tsuruoka N, Kiso Y, Horii Y, Shen J, Okumura N (2012) Role of L-carnosine in the control of blood glucose, blood pressure, thermogenesis, and lipolysis by autonomic nerves in rats: involvement of the circadian clock and histamine. *Amino Acids.* 43: 97-109

15) Nagai K, Niijima A, Horii Y, Shen J, Tanida M. (2014) Olfactory stimulatory with grapefruit and lavender oils change autonomic nerve activity and physiological function. *Auton Neurosci.* 185: 29-35.

## ○和文総説、単行本

1) 永井克也、中川八郎、須田正巳 (1968)

寒冷適応に対する代謝応答性。日本臨床 28: 1805-1810

- 2) 永井克也(1972)  
寒冷環境下における糖新生—特に寒冷暴露時における糖新生律速酵素  
phosphoenolpyruvate carboxykinase 活性調節因子について。大阪大学医学雑誌、24: 19-31
- 3) 永井克也 (1979)  
摂食と肝酵素の日周リズム。遺伝 33: 39-48
- 4) 永井克也 (1979)  
続、糖代謝とその制御—その生理と病理—肝、腎—。蛋白質、核酸、酵素 24: 202-213
- 5) 中川八郎、永井克也、西尾卓司、森 勉 (1982)  
摂食行動のリズムとその生物時計。蛋白質、核酸、酵素 27: 387-390
- 6) 永井克也 (1984)  
血糖調節の中枢機構。生化学 56: 1331-1356
- 7) 永井克也 (1985)  
視床下部視交叉上核と血糖調節。代謝 22: 1135-1148  
(SCN)の役割。糖尿病 30: 1174-1175
- 8) 永井克也、中川八郎 (1988)  
視床下部視交叉上核と代謝調節。自律神経 25: 258-263
- 9) 永井克也 (1991)  
視交叉上核とその働き、リズムとホメオスタシスの接点。  
神経眼科 8: 52-54
- 10) 永井克也、中川八郎 (1991)  
脳へのエネルギー供給の調節と概日時計。ホルモンと臨床  
39: 561-569
- 11) 中川八郎、永井克也(1991)  
脳と生物時計—からだのリズムのメカニズム(ブレインサイエンス・シリーズ5)(単行本)
- 12) 鎧連太郎、永井克也、中川八郎 (1992)  
近赤外線 CT による生体機能情報の画像化。代謝 29: 370
- 13) 8 永井克也(1996)  
糖代謝に関わる自律神経制御とサークルディアンリズム。 新薬と治療 46: 18-20
- 14) 永井克也(1997)  
サークルディアンリズムの分子機構—現状と展望— ブレインサイエンス 8: 17-19
- 15) 永井克也 (1998)  
摂食のリズム機構 肥満研究 4: 314-3317
- 16) 永井克也 (1999)  
体内時計の分子機構の解析 遺伝子医学 3: 651-658
- 17) 永井克也 (2001)  
概日リズムと摂食行動調節の機能連関 日本臨床 59: 413-420

- 18) 永井克也(2001)  
4. 生体リズムとエネルギー代謝、時間薬理学(小川暢也、編)  
朝倉書店、東京 24-31
- 19) 永井克也、磯島康史、奥村宣明(2002)  
哺乳類の概日リズムの時刻発信機構、蛋白質核酸酵素 47, 1914-1923
- 20) 奥村宣明、奥村明子、永井克也(2003)  
自律神経系による代謝調節、日本臨床 61 (Suppl. 6), 259-264, 2003
- 21) 永井克也(2004)  
血糖調節における視床下部視交叉上核 VIP ニューロンの役割、  
日本薬理学雑誌 123:253-260
- 22) 永井克也(2005)  
体内時計、自律神経系とエネルギー代謝、肥満研究 11: 24-29
- 23) 永井克也(2005)  
匂い刺激のエネルギー代謝に対する影響とその機構—グレープフルーツとラベンダー  
の芳香の効果、肥満研究 11: 206-208
- 24) 永井克也(2006)  
巻頭言「体内時計と体内恒常性」時間生物学 12 卷 (No. 1) 1-2
- 25) 永井克也(2006)  
総説特集: おいしさのシグナルと肥満(ダイエット)の科学—7  
「嗅覚刺激の自律神経と生理機能に与える影響」日本味と匂学会誌 13(2): 157-168
- 26) 永井克也(2007)  
匂い、食品と音楽の自律神経と生理機能に与える影響。Trace Nutrients Research 24: 10-13.
- 27) 永井克也(2009)  
自律神経を制御する香り 食品加工技術 29 (3):125-132
- 28) 永井克也、谷田 守、福島洋一、山野俊彦、新島 旭、前田景子、奥村宣明、  
堀井裕子、沈 嬌(2009)  
乳酸菌の腸内投与による自律神経活動と生理機能の変化  
腸内細菌学雑誌 23(3): 209-216(2009 年 7 月号)
- 29) 永井克也(2010)  
「自律神経系を統御する視床下部視交叉上核」  
環器内科第 68 卷第 5 号(2010 年 11 月号)
- 30) 永井克也(2013)  
「自律神経による生体制御とその利用」 化学と生物 51 (3) :160-167

以上